



Mar 2024

## List of Publications by Gertrud K. Nürnberg

Website: <http://www.fwr.ca>

ResearchGate: [http://www.researchgate.net/profile/Gertrud\\_Nurnberg](http://www.researchgate.net/profile/Gertrud_Nurnberg)

ORCID: <http://orcid.org/0000-0003-1752-6562>

## Publications

Tammeorg, O., **Nürnberg, G.**, Tönno, I., Kisand, A., Tuvikene, L., Nöges, T., Nöges, P., 2022a. Sediment phosphorus mobility in Vörtsjärv, a large shallow lake: Insights from phosphorus sorption experiments and long-term monitoring. *Science of The Total Environment* 154572.

Tammeorg, O., **Nürnberg, G.K.**, Nöges, P., Niemistö, J., 2022b. The role of humic substances in sediment phosphorus release in northern lakes. *Science of The Total Environment* 833, 155257. <https://doi.org/10.1016/j.scitotenv.2022.155257>

Tammeorg, O., **Nürnberg, G.**, Horppila, J., Haldna, M., Niemistö, J., 2020a. Redox-related release of phosphorus from sediments in large and shallow Lake Peipsi: Evidence from sediment studies and long-term monitoring data. *Journal of Great Lakes Research* 46, 1595-1603. <https://doi.org/10.1016/j.jglr.2020.08.023>

Tammeorg, O., **Nürnberg, G.**, Niemistö, J., Haldna, M., Horppila, J., 2020b. Internal phosphorus loading due to sediment anoxia in shallow areas: implications for lake aeration treatments. *Aquatic Sciences* 82. <https://doi.org/10.1007/s00027-020-00724-0>

Ventelä, A.-M., Ekholm, P., Kirkkala, T., Lehtoranta, J., **Nürnberg, G.K.**, Tarvainen, M., Sarvala, J., 2020. A review of internal phosphorus loading evidence in Säkylän Pyhäjärvi, Finland. In 'A.D. Steinman and B.M. Spears (Eds.), *Internal Phosphorus Loading: Causes, Case Studies, and Management*' 'Chapter 18'. J. Ross Publishing, Plantation, FL, pp. 345-357.

**Nürnberg, G.K.** 2020. Internal phosphorus loading models: A critical review. In: A.D. Steinman and B.M. Spears (Eds.), *Internal Phosphorus Loading: Causes, case studies, and management*. Plantation, FL: J. Ross Publishing. p. 45-62.

-. 2020. Observed and modelled internal phosphorus loads in stratified and polymictic basins of a mesotrophic lake. In: A.D. Steinman and B.M. Spears (Eds.), *Internal Phosphorus Loading: Causes, case studies, and management*. Plantation, FL: J. Ross Publishing. p. 111-123.

-. 2019. Quantification of Anoxia and Hypoxia in Water Bodies (2). In: *Water Encyclopedia*. John Wiley & Sons, Inc. DOI 10.1002/9781119300762.wsts0081

-. 2019. Hypolimnetic withdrawal as a lake restoration technique: Determination of feasibility and continued benefits. *Hydrobiologia* 00:000-000

-, T. Howell, M. Palmer. 2019. 28 years of impact from Central Basin hypoxia and internal phosphorus loading on north shore water quality in Lake Erie. *Inland Waters* 9: 362-373. [doi.org/10.1080/20442041.2019.1568072](https://doi.org/10.1080/20442041.2019.1568072)

-. R. Fischer, A. Paterson. 2018. Reduced phosphorus retention by anoxic bottom sediments after the remediation of an industrial acidified lake area: Indications from P, Al, and Fe sediment fractions. *Science of the Total Environment* 626: 412-422.

- . 2017. Attempted management of cyanobacteria by Phoslock (lanthanum-modified clay) in Canadian lakes, water quality results and predictions. *Lake and Reservoir Management* 33, 163-170. DOI: 10.1080/10402381.2016.1265618
- . and B.D. LaZerte. 2016. Trophic state decrease after lanthanum-modified bentonite (Phoslock) application to a hyper-eutrophic polymictic urban lake frequented by Canada geese (*Branta canadensis*). *Lake and Reservoir Management* 32, 74-88. DOI: 10.1080/10402381.2015.1133739
- . 2016. More than 20 years of estimated internal phosphorus loading in polymictic, eutrophic Lake Winnipeg, Manitoba. *J. Great Lakes Res.* 42, 18-27. DOI: 10.1016/j.jglr.2015.11.003
- Spears, B.M., E.B. Mackay, S. Yasseri, I.D.M. Gunn, K.E. Waters, C. Andrews, S. Cole, M. de Ville, A. Kelly, S. Meis, A.L. Moore, **G.K. Nürnberg**, F. van Oosterhout, J.-A. Pitt, G. Madgwick, H.J. Woods and M. Lürling. 2016. A meta-analysis of water quality and aquatic macrophyte responses in 18 lakes treated with lanthanum modified bentonite (PHOSLOCK®). *Water Research*. DOI: 10.1016/j.watres.2015.08.020
- , B.D. LaZerte, P.S. Loh, L.A. Molot. 2013. Quantification of internal phosphorus load in large, partially polymictic and mesotrophic Lake Simcoe, Ontario. *J Great Lakes Res* 39, 271-279.
- , L.A. Molot, E. O'Connor, H. Jarjanazi, J.G. Winter and J.D. Young. 2013. Evidence for internal phosphorus loading, hypoxia and effects on phytoplankton in partially polymictic Lake Simcoe, Ontario. *J Great Lakes Res* 39, 259-270.
- Loh, P.S., L.A. Molot, **G.K. Nürnberg**, S.B. Watson and B. Ginn. 2013. Evaluating relationships between sediment chemistry and anoxic phosphorus and iron release across three different water bodies. *Inland Waters* 3, 105-117.
- , M. Tarvainen, A.-M. Ventelä and J. Sarvala. 2012. Internal phosphorus load estimation during biomani- pulation in a large polymictic and mesotrophic lake *Inland Waters* 2, 147-162.
- Labrecque V, **G.K. Nürnberg**, R. Tremblay and R. Pienitz. 2012. Caractérisation de la charge interne de phosphore du lac Nairne, Charlevoix, Québec (in French). - Internal phosphorus load assessment of Lake Nairne, Charlevoix, Quebec. *Rev. Sci. L'Eau*: 25 (1):77-93.
- . 2009. Assessing internal phosphorus load – problems to be solved, *Lake and Reservoir Management*, 25(4): 419-432.
- Conley, D.J., S. Björck, E. Bonsdorff, J. Carstensen, G. Destouni, B.G. Gustafsson, S. Hietanen, M. Kortekaas, H. Kuosa, H.E.M. Meier, B. Müller-Karulis, K. Nordberg, A. Norkko, **G.K. Nürnberg**, H. Pitkänen, N.N. Rabalais, R. Rosenberg, O.P. Savchuk, C.P. Slomp, M. Voss, F. Wulff and L. Zillén. 2009. Critical Review: Hypoxia-related processes in the Baltic Sea. *Environ. Sci. Technol.* 43: 3412-3420.
- Cyr, H., S.K. McCabe and **G.K. Nürnberg**. 2009. Phosphorus sorption experiments and the potential for internal phosphorus loading in littoral areas of a stratified lake. *Water Res.* 43:1654-1666
- . 2007. Low-Nitrate-Days (LND), a potential indicator of cyanobacteria blooms in a eutrophic hardwater reservoir. *Water Quality Research Journal of Canada* 42: 269-283.
- . Lake responses to long-term hypolimnetic withdrawal treatments. *Lake and Reservoir Management* 23: 388-409.
- . 2005. Quantification of internal phosphorus loading in polymictic lakes. *Verhandlungen Internationalen Vereinigung Limnologie (SIL)* 29: 623-626.
- Cyr, H. and **G.K. Nürnberg**. 2005. Methodological biases in phosphate sorption experiments. p. 55-66 in L. Serrano and H.L. Golterman (editors), *Phosphates in Sediments*, Proceedings of the 4th International Symposium. Backhuys Publishers, the Netherlands.
- . 2004. Quantified hypoxia and anoxia in lakes and reservoirs. *TheScientificWorld* 4, 42-54.
- . 2005. Internal phosphorus loading or “the devil is in the sediments”. *Lake Stewardship Newsletter*, 9-10.

- and B.D. LaZerte. 2004. Modeling the effect of development on internal phosphorus load in nutrient-poor lakes. *Water Resources Research* 40: W01105. doi:10.1029/2003WR002410
- Havens K.E. and **G.K. Nürnberg**. 2004. The Phosphorus-Chlorophyll Relationship in Lakes: Potential Influences of Color and Mixing Regime. *Lake and Reservoir Management* 20, 000-000.
- and B.D. LaZerte. 2003/4. Ontario lakes: The importance of lake management. *NALMS Lakeline* 23 (4): 32-37.
- ,B.D. LaZerte and D.D. Olding. 2003. An artificially induced *Planktothrix rubescens* surface bloom in a small kettle lake in southern Ontario compared to blooms world-wide. *Lake and Reservoir Management* 19: 307-322.
- . 2002. Probability of winterkill in Central Ontario lakes. *Newsletter of the American Fisheries Society Southern Ontario Chapter*, Sep 2002: 2-3
- . 2002. Quantification of oxygen depletion in lakes and reservoirs with the hypoxic factor. *Lake and Reservoir Management* 18, 298-305.
- . 2001. Eutrophication and Trophic State - Why does lake water (quality) differ from lake to lake? *NALMS Lakeline* 21(1): 29-33.
- and B.D. LaZerte. 2001. Predicting Water Quality, Chapter 5, p. 139-163 in C. Holdren, B. Jones and J. Taggart (eds.), *Managing Lakes and Reservoirs*, 3rd ed., North American Lake Management Society, Terrene Inst. and US-EPA, EPA 841-B-01-006.
- . 1999. Determining trophic state in experimental lakes. - Comment. *Limnology and Oceanography* 44: 1176-1179.
- and M. Shaw. 1999. Productivity of clear and humic lakes: nutrients, phytoplankton, bacteria. *Hydrobiologia* 382: 97-112.
- . 1998. Prediction of annual and seasonal phosphorus concentrations in stratified and polymictic lakes. *Limnology and Oceanography* 43: 1544-1552.
- . 1997. Coping with water quality problems due to hypolimnetic anoxia in Central Ontario Lakes. *Water Quality Research Journal of Canada* 32: 391-405.
- . 1996. Trophic state of clear and coloured, soft-and hardwater lakes with special consideration of nutrients, anoxia, phytoplankton and fish. *Lake and Reservoir Management* 12: 432-447.
- . 1996. Comment: Phosphorus budgets and stoichiometry during the open-water season in two unmanipulated lakes in the Experimental Lakes Area, northwestern Ontario. *Canadian J. Fisheries Aquatic Science* 53: 1469-1471.
- . 1995. Quantifying anoxia in lakes. *Limnology and Oceanography* 40: 1100-1111.
- . 1995. Anoxic factor, a quantitative measure of anoxia and fish species richness in Central Ontario lakes. *Transactions of the American Fisheries Society* 124: 677-686.
- . 1994. Phosphorus release from anoxic sediments: What we know and how we can deal with it. *Limnetica* 10: 1-4.
- and P.J. Dillon. 1993. Iron budgets in temperate lakes. *Canadian J. Fisheries Aquatic Science* 50: 1728-1737.
- . 1991. Phosphorus from internal sources in the Laurentian Great Lakes, and the concept of threshold external load. *J. Great Lakes Research* 17: 132-140.
- . 1988. The prediction of phosphorus release rates from total and reductant-soluble phosphorus in anoxic lake sediments. *Can. J. Fisheries Aquatic Science* 45: 453-462.
- . 1988. A simple model for predicting the date of fall turnover in thermally stratified lakes. *Limnology and Oceanography* 33: 1190-1195.

- 1987. A comparison of internal phosphorus loads in lakes with anoxic hypolimnia: laboratory incubations versus hypolimnetic phosphorus accumulation. *Limnology and Oceanography* 32: 1160-1164.
- 1987. Hypolimnetic withdrawal as a lake restoration technique. American Society of Civil Engineers, J. Environmental Engineering Division 113: 1006-1017.
- , R. Hartley and E. Davis. 1987. Hypolimnetic withdrawal in two North American lakes with anoxic phosphorus release from the sediment. *Water Research* 21: 923-928.
- , M. Shaw, P.J. Dillon and D.J. McQueen. 1986. Internal phosphorus load in an oligotrophic Precambrian Shield lake with an anoxic hypolimnion. - *Canadian J. Fisheries Aquatic Science* 43: 574-580.
- 1985. Availability of phosphorus upwelling from iron-rich anoxic hypolimnia. *Archive Hydrobiologia* 104: 459-476.
- and Peters, R.H. 1984: Biological availability of soluble reactive phosphorus in anoxic and oxic freshwaters. - *Canadian J. Fisheries Aquatic Science* 41: 757-765.
- 1984: The importance of internal phosphorus load to the eutrophication of lakes with anoxic hypolimnia. - *Verhandlungen Internationalen Vereinigung Limnologie* 22: 190-194.
- 1984. The prediction of internal phosphorus load in lakes with anoxic hypolimnia. - *Limnology and Oceanography* 29: 111-124.
- 1984. Iron and hydrogen sulfide interference in the analysis of SRP in anoxic waters. - *Water Research* 20: 369-377.